

FACE DETECTION IN SOLAR TENT

ABSTRACT

The face is one of the easiest ways to distinguish the individual identity of each other. Face recognition is a personal identification system that uses personal characteristics of a person to identify the person's identity. Human face recognition procedure basically consists of two phases, namely face detection, where this process takes place very rapidly in humans, except under conditions where the object is located at a short distance away, the next is the introduction, which recognize a face as individuals. Stage is then replicated and developed as a model for facial image recognition (face recognition) is one of the much-studied biometrics technology and developed by experts. There are two kinds of methods that are currently popular in developed face recognition pattern namely, Eigenface method and Fisherface method. Facial image recognition Eigenface method is based on the reduction of face-dimensional space using Principal Component Analysis (PCA) for facial features. The main purpose of the use of PCA on face recognition using Eigen faces was formed (face space) by finding the eigenvector corresponding to the largest eigenvalue of the face image. The area of this project face detection system with face recognition is Image processing. The software requirements for this project is matlab software.

Keywords: face detection, Eigen face, PCA, matlab

Extension: There are vast number of applications from this face detection project, this project can be extended that the various parts in the face can be detect which are in various directions and shapes.

INDEX

CONTENTS	page
LIST OF FIGURES	
ABSTRACT	
1.INRODUCTION	10
1.1. FACE RECOGNIZATION	10
1.1.1 GEOMWTRIC	10
1.1.2 PHOTOMETRIC	10
1.2	
1.2.1 PRE-PROCSSING	11
1.2.2 CLASSIFICATION	12
1.2.3 LOCALIZATION	12
2. LITERATURE SURVEY.....	13
2.1.1 FEATURE BASE APPROCH.....	13
2.1.2 DEFORMABLE TEMPLATES	14
2.1.3 POINT DISTRIBUTION MODEL(PDM)	15
2.2. LOW LEVEL ANALYSIS	15
2.3.MOTION BASE	17
2.3.1 GRAY SCALE BASE.....	17
2.3.2 EDGE BASE.....	18
2.4 FEATURE ANALYSIS	18
2.4.1 FEATURE SEARCHING.....	18
2.5 CONSTELLATION METHOD.....	19
2.6 NEURAL NETWORK	19
2.7 LINEAR SUB SPACE METHOD.....	20
2.8 STASTICAL APPROCH.....	21
3. DIGITAL IMAGE PROCESSING	22
3.1. DIGITAL IMAGE PROCESSING.....	22
3.2. FUNDAMENTAL STEPS IN IMAGE PROCESSING.....	23
3.3. ELEMENTS OF DIGITAL IMAGE PROCESSING SYSTEM.....	24
3.3.1. A SIMPLE IMAGE FORMATION MODEL	24

4. MATLAB.....	26
4.1. INTROUDUCTION... ..	26
4.2. MATLAB's POWER OF COMPUTAIONAL MATHMATICS.....	26
4.3. FEATURES OF MATLAB	27
4.4. USES OF MATLAB.....	27
4.5. UNDERSTANDING THE MATLAB ENVIRONMENT... ..	28
4.6. COMMONLY USED OPERATORS AND SPATIAL CHARECTERS	30
4.7. COMMANDS.....	31
4.7.1. COMMANDS FOR MANAGING A SESSION.....	31
4.8 INPUT AND OUTPUT COMMAND.....	32
4.9. M FILES	32
4.10. DATA TYPES AVAILABLE IN MATLAB	33
5. FACE DETECTION.....	35
5.1 FACE DETECTION IN IMAGE	35
5.2 REAL TIME FACE DETECTION.....	36
5.3 FACE DETECTION PROCESS.....	38
5.4 FACE DETETION ALGORITHM.....	41
6. FACE RECOGNITION	43
6.1 FACE RECOGNITION USING GEOMETRICAL FEATURES	43
6.1.1 FACE RECOGNITION USING TEMPLATE MATCHING	44
6.2. PROBLEM SCOPE AND SYSTEM SPECIFICATIONS	45
6.3 BRIEF OUTLINE OF THE IMPLEMENTED SYSTEM.....	45
6.4 FACE RECOGNITION DIFFICULTIE.....	47
6.4.1 INTER CLASS SIMILARITY	48
6.4.2 INTRA CLASS SIMILARITY	48
6.5 PRINCIPAL COMPONENT ANALYSIS	49
6.6 UNDER STANDING EIGEN FACES.....	49
6.7 IMPROVING FACE DETECTION USING RECONSTRUCTION	53
6.8 POSE INVARIANT FACE RECOGNITION	54
7. CONCLUSION	56
8. REFERENCES.....	58

LIST OF FIGURES

1.2 FACE DETECTION ALGORITHM	12
2.1 DETECTION METHODS	13
2.2 SOLAR TENT.....	16
3.2 FUNDAMENTAL STEPS IN DIGITAL IMAGE PROCESSING.....	23
3.3 ELEMENTS OF DIGITAL IMAGE PROCESSING SYSTEM	24
5.1 A SUCCESSFUL FACE DETECTION IN AN IMAGE WITH A FRONTAL VIEW OF A HUMAN FACE	35
5.2.1 FRAME 1 FROM CAMERA	37
5.2.2 FRAME 2 FROM CAMERA	37
5.2.3 SPATIO - TEMPORALLY FILTERED IMAGE.....	37
5.3 FACE DETECTION.....	38
5.3.1 AVERAGE HUMAN FACE IN GREY-SCALE	38
5.3.2 AREA CHOSEN FOR FACE DETECTION	39
5.3.3: BASIS FOR A BRIGHT INTENSITY INVARIANT SENSITIVE TEMPLATE	39
5.3.4 SCANED IMAGE DETECTION	40
5.4 FACE DETECTION ALGORITHM.....	41
5.4.1 MOUTH DETECTION	41
5.4.2 NOISE DETECTION	41
5.4.3 EYE DETECTION	41
6.1.1 FACE RECOGNITION USING TEMPLATE MATCHING.....	44
6.3 IMPLEMENTED FULLY AUTOMATED FRONTAL VIEW FACE DETECTION MODEL	45
6.3.1 : PRINCIPAL COMPONENT ANALYSIS TRANSFORM FROM 'IMAGE SPACE' TO 'FACE SPACE'	46
6.3.2 FACE RECOGNITION	47
6.4.1 FACE RECOGNITION TWINS AND FATHER AND SON.....	48
6.6.0 A 7X7 FACE IMAGE TRANSFORMED INTO A 49 DIMENSION VECTOR	49
6.6.1 EIGENFACES	50
6.8 POSE INVARIANT FACE RECOGNITION	54

CHAPTER-1

INTRODUCTION

Face recognition is the task of identifying an already detected object as a known or unknown face. Often the problem of face recognition is confused with the problem of face detection. Face Recognition on the other hand is to decide if the "face" is someone known, or unknown, using for this purpose a database of faces in order to validate this input face.

1.1 FACE RECOGNITION:

DIFFERENT APPROACHES OF FACE RECOGNITION:

There are two predominant approaches to the face recognition problem: Geometric (feature based) and photometric (view based). As researcher interest in face recognition continued, many different algorithms were developed, three of which have been well studied in face recognition literature.

Recognition algorithms can be divided into two main approaches:

1. **Geometric:** Is based on geometrical relationship between facial landmarks, or in other words the spatial configuration of facial features. That means that the main geometrical features of the face such as the eyes, nose and mouth are first located and then faces are classified on the basis of various geometrical distances and angles between features. (Figure 3)
2. **Photometric stereo:** Used to recover the shape of an object from a number of images taken under different lighting conditions. The shape of the recovered object is defined by a gradient map, which is made up of an array of surface normals (Zhao and Chellappa, 2006) (Figure 2)

Popular recognition algorithms include:

1. Principal Component Analysis using Eigenfaces, (PCA)
2. Linear Discriminate Analysis,
3. Elastic Bunch Graph Matching using the Fisherface algorithm,




Figure 2 -Photometric stereo image.




Figure 3 - Geometric facial recognition.

1.2 FACE DETECTION:

Face detection involves separating image windows into two classes; one containing faces (tarning the background (clutter)). It is difficult because although commonalities exist between faces, they can vary considerably in terms of age, skin colour and facial expression. The problem is further complicated by differing lighting conditions, image qualities and geometries, as well as the possibility of partial occlusion and disguise. An ideal face detector would therefore be able to detect the presence of any face under any set of lighting conditions, upon any background. The face detection task can be broken down into two steps. The first step is a classification task that takes some arbitrary image as input and outputs a binary value of yes or no, indicating whether there are any faces present in the image. The second step is the face localization task that aims to take an image as input and output the location of any face or faces within that image as some bounding box with (x, y, width, height).

The face detection system can be divided into the following steps:-

1. Pre-Processing: To reduce the variability in the faces, the images are processed before they are fed into the network. All positive examples that is the face images are obtained by cropping

images with frontal faces to include only the front view. All the cropped images are then corrected for lighting through standard algorithms.

2. Classification: Neural networks are implemented to classify the images as faces or nonfaces by training on these examples. We use both our implementation of the neural network and the Matlab neural network toolbox for this task. Different network configurations are experimented with to optimize the results.

3. Localization: The trained neural network is then used to search for faces in an image and if present localize them in a bounding box. Various Feature of Face on which the work has done on:- Position Scale Orientation Illumination




Fig: Face detection algorithm

CHAPTER-2

LITERATURE SURVEY

Face detection is a computer technology that determines the location and size of human face in arbitrary (digital) image. The facial features are detected and any other objects like trees, buildings and bodies etc are ignored from the digital image. It can be regarded as a ‘specific’ case of object-class detection, where the task is finding the location and sizes of all objects in an image that belong to a given class. Face detection, can be regarded as a more ‘general’ case of face localization. In face localization, the task is to find the locations and sizes of a known number of faces (usually one). Basically there are two types of approaches to detect facial part in the given image i.e. feature base and image base approach. Feature base approach tries to extract features of the image and match it against the knowledge of the face features. While image base approach tries to get best match between training and testing images.




Fig 2.1 detection methods

2.1 FEATURE BASE APPROCH:

Active Shape ModelActive shape models focus on complex non-rigid features like actual physical and higher level appearance of features Means that Active Shape Models (ASMs) are aimed at automatically locating landmark points that define the shape of any statistically modelled

object in an image. When of facial features such as the eyes, lips, nose, mouth and eyebrows. The training stage of an ASM involves the building of a statistical

- a) facial model from a training set containing images with manually annotated landmarks. ASMs is classified into three groups i.e. snakes, PDM, Deformable templates
- b) 1.1)Snakes:The first type uses a generic active contour called snakes, first introduced by Kass et al. in 1987 Snakes are used to identify head boundaries [8,9,10,11,12]. In order to achieve the task, a snake is first initialized at the proximity around a head boundary. It then locks onto nearby edges and subsequently assume the shape of the head. The evolution of a snake is achieved by minimizing an energy function, E_{snake} (analogy with physical systems), denoted as $E_{snake} = E_{internal} + E_{external}$ Where $E_{internal}$ and $E_{external}$ are internal and external energy functions. Internal energy is the part that depends on the intrinsic properties of the snake and defines its natural evolution. The typical natural evolution in snakes is shrinking or expanding. The external energy counteracts the internal energy and enables the contours to deviate from the natural evolution and eventually assume the shape of nearby features—the head boundary at a state of equilibria. Two main consideration for forming snakes i.e. selection of energy terms and energy minimization. Elastic energy is used commonly as internal energy. Internal energy is vary with the distance between control points on the snake, through which we get contour an elastic-band characteristic that causes it to shrink or expand. On other side external energy relay on image features. Energy minimization process is done by optimization techniques such as the steepest gradient descent. Which needs highest computations. Huang and Chen and Lam and Yan both employ fast iteration methods by greedy algorithms. Snakes have some demerits like contour often becomes trapped onto false image features and another one is that snakes are not suitable in extracting non convex features.

2.1.1 Deformable Templates:

Deformable templates were then introduced by Yuille et al. to take into account the a priori of facial features and to better the performance of snakes. Locating a facial feature boundary is not an easy task because the local evidence of facial edges is difficult to organize into a sensible global entity using generic contours. The low brightness contrast around some of these features also makes the edge detection process. Yuille et al. took the concept of snakes a step further by incorporating global information of the eye to improve the reliability of the extraction process.

The pixels for skin region can be detected using a normalized color histogram, and can be normalized for changes in intensity on dividing by luminance. Converted an [R, G, B] vector is converted into an [r, g] vector of normalized color which provides a fast means of skin detection. This algorithm fails when there are some more skin region like legs, arms, etc. Cahil and Ngan [27] suggested skin color classification algorithm with YCbCr color space. Research found that pixels belonging to skin region having similar Cb and Cr values. So that the thresholds be chosen as [Cr1, Cr2] and [Cb1, Cb2], a pixel is classified to have skin tone if the values [Cr, Cb] fall within the thresholds. The skin color distribution gives the face portion in the color image. This algorithm is also having the constraint that the image should be having only face as the skin region. Kjeldson and Kender defined a color predicate in HSV color space to separate skin regions from background. Skin color classification in HSI color space is the same as YCbCr color space but here the responsible values are hue (H) and saturation (S). Similar to above the threshold be chosen as [H1, S1] and [H2, S2], and a pixel is classified to have skin tone if the values [H,S] fall within the threshold and this distribution gives the localized face image. Similar to above two algorithm this algorithm is also having the same constraint.

2.3) MOTION BASE:

When use of video sequence is available, motion information can be used to locate moving objects. Moving silhouettes like face and body parts can be extracted by simply thresholding accumulated frame differences. Besides face regions, facial features can be located by frame differences.

2.3.1 Gray Scale Base:

Gray information within a face can also be treated as important features. Facial features such as eyebrows, pupils, and lips appear generally darker than their surrounding facial regions. Various recent feature extraction algorithms search for local gray minima within segmented facial regions. In these algorithms, the input images are first enhanced by contrast-stretching and gray-scale morphological routines to improve the quality of local dark patches and thereby make detection easier. The extraction of dark patches is achieved by low-level gray-scale thresholding. Based method and consist three levels. Yang and Huang presented new approach i.e. faces gray scale behaviour in pyramid (mosaic) images. This system utilizes hierarchical face location consist three levels. Higher two level based on mosaic images at different resolution. In the lower level, edge detection method is proposed. Moreover this algorithm gives fine response in complex background where size of the face is unknown